

The logo features the word "WALMI" in a bold, blue, sans-serif font, centered within a white circle. This circle is surrounded by a thick, blue, 3D-style ring that has a slight shadow and a gradient. The entire logo is set against a light blue background with a subtle circular gradient.

WALMI

**COMPRESSOR AIR INTAKE FILTER
ELEMENTS**

A series of parallel, light blue diagonal lines extending from the bottom right towards the center of the page, positioned below the main text.

WA-111590

Dimensional data & weight	Characteristics	Cross references
OD= 6.61 in ID= 4.98 in HGT= 4.02 in Weight= 0.7 lb	DOE filter element, polyester media, moulded ends, inner screen	Stoddard F8-151, Solberg 32-17, Air Supply Co. 11-1590, Sunshine 20308K5, Filpro FP10-1166

WA-111593

Dimensional data & weight	Characteristics	Cross references
OD= 10.08 in ID= 7.02 in HGT= 5 in Weight= 1.92 lb	DOE filter element, polyester media, moulded ends, inner screen	Stoddard F8-135, Solberg 32-19, Air Supply Co. 11-1593, FP10-886, Sunshine 20309K5

WA-111635

Dimensional data & weight	Characteristics	Cross references
OD= 12.5 in ID= 9.51 in HGT= 5 in Weight= 2.5 lb	DOE filter element, polyester media, moulded ends, inner screen	Stoddard F8-134, Solberg 32-21, Air Supply Co. 11-1635, Filpro FP10-1227, Sunshine 20310K5

WA-111636

Dimensional data & weight	Characteristics	Cross references
OD= 6.24 in ID= 4.7 in HGT= 5.38 in Weight= 0.93 lb	DOE filter element, polyester media, moulded ends & inner screen	Broomwade 98262/1063, Solberg 903, Air Supply Co. 11-1636

WA-111639

Dimensional data & weight	Characteristics	Cross references
OD= 12.5 in ID= 9.51 in HGT= 10 in Weight= 4.33 lb	DOE filter element, polyester media, moulded ends, inner screen	Stoddard F8-139, Air Supply Co. 11-1639, Filpro FP10-1168, Solberg 32-23, Sunshine 20311K5

WA-112480

Dimensional data & weight	Characteristics	Cross references
OD= 5.75 in ID= 4.25 in HGT= 2.5 in Weight= 0.56 lb	DOE filter element, wire (expanded metal) media (3 layers), moulded ends & inner screen	Air Supply Co. 11-2480, EM W-642, Filpro FP10-1248, Universal 81-1036

WA-112482

Dimensional data & weight	Characteristics	Cross references
OD= 23 in ID= 19 in HGT= 14 in Weight= 10.51 lb	DOE filter element, metal end caps, cellulose media, inner/outer expanded metal & gasket	Universal 81-1164, Air Supply Co. 11-2482, Filpro FP10-651, EM PROD P-231914, Royal Filter RA81-1164, Solberg 32-14, Spencer ELE90087

WA-112483

Dimensional data & weight	Characteristics	Cross references
OD= 17 in ID= 13 in HGT= 10 in Weight= 7.84 lb	DOE filter element, polyester media, moulded ends, inner & outer screen	Air Supply Co. 11-2483, Don Anthony Design M5-1209XLM, EM F-171310, Filpro FP10-120, Filter Mart 23-2285, Shawndra/Sparks 321-1736K5, Solberg 32-13, Sunshine 20201K5, Universal 81-1209

WA-112484

Dimensional data & weight	Characteristics	Cross references
OD= 23 in ID= 19 in HGT= 14 in Weight= 18.51 lb	DOE filter element, polyester media, metal end caps, inner/outer screen & gasket	Air Supply Co. 11-2484, Filpro FP10-1246, EM PROD F-231914, Filter Mart 23-2286, Royal Filter RA81-1210, Solberg 32-15, Sunshine 20202K5, Universal 81-1210

WA-112486

Dimensional data & weight	Characteristics	Cross references
OD= 17 in ID= 13 in HGT= 10 in Weight= 10.63 lb	DOE filter element, wire (expanded metal) media (3 layers), moulded ends & inner screen	Air Supply Co. 11-2486, EM PROD W-171310, Filpro FP10-571, FP10-1334, Sunshine 20201K200, Universal 81-1200

WA-112488

Dimensional data & weight	Characteristics	Cross references
OD= 9.67 in ID= 7.2 in HGT= 6 in Weight= 2.42 lb	DOE filter element, wire (expanded metal) media (3 layers), moulded ends & inner screen	Air Supply Co. 11-2488, EM W-976, Filpro FP10-1033, Filter Mart 22-1471, Royal Filter RA81-1038, Sunshine 20199K200-3, 20613K200-3, Universal 81-1038

WA-112490

Dimensional data & weight	Characteristics	Cross references
OD= 13.65 in ID= 11.57 in HGT= 8.62 in Weight= 4.53 lb	DOE filter element, wire (expanded metal) media (3 layers), moulded ends & inner screen	Air Supply Co. 11-2490, EM W-13118, Filpro FP10-1333, Universal 81-1040

WA-112831

Dimensional data & weight	Characteristics	Cross references
OD= 9.67 in ID= 7.2 in HGT= 4 in Weight= 1.81 lb	DOE filter element, wire (expanded metal) media (3 layers), moulded ends & inner screen	Air Supply Co. 11-2831, EM W-974, Filpro FP10-1331, Filter Mart 22-1555, Pioneer Air Systems A6-00090-40164, Sunshine 20181K200, Universal 81-1037

WPA-120001

Dimensional data & weight	Characteristics	Cross references
OD= 7.36 in ID= 4.11 in HGT= 15.59 in Weight= 2.67 lb	Radial seal outer element, moulded ends, cellulose media	Atlas Copco 1310-0353-89, Ingersoll Rand 54484092, Sullair 02250127-684, Air Supply Co. 12-0001, WIX 42330, Baldwin RS5334

WA-120643

Dimensional data & weight	Characteristics	Cross references
OD= 3.94 in ID= 2.64 in HGT= 3.11 in Weight= 0.19 lb	DOE filter, paper media & moulded ends	Air Supply Co. 12-0643, Atlas Copco 1613-9001-00, Baldwin PA4758, Bauer Rotorcomp N25886, Compair USA 0075155, A13294374, FIAC 7212160000, 7212160010, Ingersoll Rand 88171913, 88210620, Keltec KC15-022, Chicago Pneumatic 6211-4578-00, 6211-4739-50, Quincy 6211473950, Mann & Hummel C1140, Onan 140-2379, Sotras SA6847, Sullivan Palatek 01903000-0056, WIX 49913, Baldwin PA4758

WPA-3704

Dimensional data & weight	Characteristics	Cross references
OD= 4.13 in ID= 2.36 in HGT= 10.81 in Weight= 0.81 lb	Radial seal outer element, moulded ends, cellulose media	Air Supply Co. 12-1575, Abac 9056002, 9056939, 9057404, 9057420, 9618034, Chicago Pneumatic 2236-1060-23, 8973-0353-47, 8973-0368-70, Ingersoll Rand 39259866, Kohler 25 083 01-S, Baldwin RS3704, WIX 46438

WA-1667FN

Dimensional data & weight	Characteristics	Cross references
OD= 5.2 in ID= 2.68 in HGT= 11.42 in Weight= 1.65 lb	Open/Closed filter element, metal end caps, cellulose media, inner/outer screen, bottom gasket, closed end bolt hole and plastic fins	Air Supply Co. 12-1760, Allis Chalmers 74996245, Case A59998, Compair USA 220-105, 43-530, DEMAG 00472306, International 204002-H1, John Deere AH19852, Donaldson P182052, P181052, M&H C1479x, Ingersoll Rand 59428995, 57301780, 59341560, 89833230, 59993451, JOY 3662177-004, Quincy 125253-050, 22345, Sullair 2250131-496, 043334, Worthington CLE-20001, ELM-206, ELM-50, Atlas Copco 1310-0309-00, Bottarini 22-0940, Chicago Pneumatic N405079, Baldwin PA1667FN, WIX 42222

WA-1690FN

Dimensional data & weight	Characteristics	Cross references
OD= 4.09 in ID= 2.44 in HGT= 10 in Weight= 1.12 lb	Open/Closed filter element, metal end caps, cellulose media, inner/outer screen, bottom gasket, closed end bolt hole and plastic fins	Air Supply Co. 12-1766, Airman/Hokuetsu 3214302200, 3214302600, N403638, Alup 172.9067, Atlas Copco 1320-0940-44, 1503-2556-00, 2900-6488-00, Bauer/Rotorcomp N 02206, Becker Pump 840 405 07 000, Bottarini 22-0901, Champion 270092, Chicago Pneumatic N403638, Compair USA 220-099, 43-493-1, 43-635-1, Davey Compressor T40348, Demag 901069, FS Curtis 1450084, Ingersoll Rand 36791903, Jacobsen 549593, Kubota 70000-11081, Mann Filter C1188, OSD FLT100-01-0009, Squire-Cogswell 101275, Toro 27-7110, Worthington ELM-44, Yanmar 12464-12510, Baldwin PA1690FN, WIX 42276

WHA-121773

Dimensional data & weight	Characteristics	Cross references
OD= 12.09 in ID= 7.7 in HGT= 20.47 in Weight= 7.61 lb	Open/Closed filter element, metal end caps, cellulose media, inner/outer screen, closed end bolt hole and bottom gasket	Doosan 35355395, Gardner Denver 1156422, Ingersoll Rand 35355395, 39207964, JOY 3606283-0029, Sullair 42493, 46956, Air Supply Co. 12-1773, Baldwin PA2518, WIX 42493

WPA-2863

Dimensional data & weight	Characteristics	Cross references
OD= 9.29 in ID= 5.17 in HGT= 12.78 in Weight= 4.06 lb	Radial seal outer element, moulded ends, cellulose media	Air Supply Co. 12-2393, Compair USA 262854, Gardner Denver 300EFE1445, Donaldson DBA5067, P527484, Keltec KA345-014, Filpro FP10-3967, Sullivan/Palatek 00521-075, Baldwin RS2863, WIX 46433P

WPA-3544

Dimensional data & weight	Characteristics	Cross references
OD= 6.38 in ID= 3.56 in HGT= 13.96 in Weight= 2 lb	Radial seal outer element, moulded ends, cellulose media	Air Supply Co. 12-2422, Abac 9056189, Abac 9056941, Atlas Copco 1320-0332-71, Chicago Pneumatic 2236-1060-25, 8973-0353-06, Demag 13316774, Elgi B574604, Fini 17083000, Gardner Denver 2118315, IR 92793025, Ingersoll Rand 54471834, Keltec KC200-052, Kobelco S-CE05-503, Mitsuiiseiki 71-10404-3801-10, Sullair 68561946, 02250122-816, 02250125-372, Sullivan/Palatek 00521-082, Filpro FP10-1437, Baldwin RS3544, WIX 46562

WPA-3988

Dimensional data & weight	Characteristics	Cross references
OD= 5.02 in ID= 3.27 in HGT= 12.2 in Weight= 1.16 lb	Radial seal outer element, moulded ends, cellulose media	Air Supply Co. 12-2621, Abac 9056227, 9056940, 9057405, 9057421, 9618035, Adicomp 40300006, Atlas Copco 1310-0300-88, 1310-0339-26, 1310-0348-89, Boss Industries 302014, Chicago Pneumatic 2236-1057-66, 2236-1060-24, 8973-0353-48, 8973-0368-71, Compair USA A13306974, Demag 13306974, Doosan 35393685, ELGi B574603, Grimmer Schmidt 124-65517, Ingersoll Rand 35393685, IMT 302014, Kaishan 537702320510, KTC Air 70122, Mann Filter C14202/1, Vanair 264266, Pneutech 40300006, Sullair 02250125-371, 02250102-158, Keltec 12-2621, Baldwin RS-3988, WIX 46489

WPA-3543

Dimensional data & weight	Characteristics	Cross references
OD= 3.27 in ID= 2.56 in HGT= 12.36 in Weight= 0.29 lb	Radial seal inner element, moulded ends, polyester media	Air Supply Co. 12-2622, Atlas Copco 1310-0343-81, Doosan 35393651, Ingersoll Rand 35393651, Parise Compressor 6010040060, Sullair 02250102-160, Performance Filtration 6803, Baldwin RS3543, WIX 46672

WPA-3715

Dimensional data & weight	Characteristics	Cross references
OD= 3.54 in ID= 1.81 in HGT= 7.26 in Weight= 0.49 lb	Radial seal outer element, moulded ends, cellulose media	Air Supply Co. 12-3208, Boss Industries 300854, Briggs & Stratton 820263, Champion 2118874, Chicago Pneumatic 8973-0351-33, Compair USA 73746, Ingersoll Rand 36890135, Iowa 300854, 700482-17, Kohler 25 083 02, Stellar Industries 300854, Sullair 02250145-627, Baldwin RS3715, WIX 46449

WPA-3501

Dimensional data & weight	Characteristics	Cross references
OD= 5.25 in ID= 3.72 in HGT= 12 in Weight= 0.96 lb	Radial seal inner element, moulded ends, cellulose media	Air Supply Co. 12-3280, Sullivan/Palatek 00521-075S, WIX 46429P, Baldwin RS3501

WPA-3703

Dimensional data & weight	Characteristics	Cross references
OD= 3.27 in ID= 2.42 in HGT= 11.73 in Weight= 0.3 lb	Radial seal inner element, moulded ends, polyester media	Air Supply Co. 12-6490, Atlas Copco 1310-0303-10, Sullivan/Palatek 00521-060S, Baldwin RS3703, WIX 46490

WPA-127868

Dimensional data & weight	Characteristics	Cross references
OD= 12.25 in ID= 6.99 in HGT= 20.35 in Weight= 7.22 lb	Radial seal outer element, moulded ends, cellulose media	Atlas Copco 2914-5010-00, FS Curtis RN24085-1, Gardner Denver 2118349, Quincy 1627410042, 2013400450, 23458-18, 23458-9, Ingersoll Rand 85401354, Keltec KA725-009, Sullair 02250135-155, Air Supply Co. 12-7868, WIX K40A255

WPA-3744

Dimensional data & weight	Characteristics	Cross references
OD= 10.97 in ID= 5.81 in HGT= 20.56 in Weight= 7.06 lb	Radial seal outer element, moulded ends, cellulose media	Air Supply Co. 12-7876, Champion 2118351, FS Curtis RN24083-1, Gardner Denver 2118348, Baldwin RS3744, WIX 42803

WPA-3992

Dimensional data & weight	Characteristics	Cross references
OD= 7.64 in ID= 4.52 in HGT= 15.75 in Weight= 2.38 lb	Radial seal outer element, moulded ends, cellulose media	Air Supply Co. 18-1957, Atlas Copco 1613-7408-00, 2914-9308-00, Bottarini 22-3487, Broomwade 98262/198, 98262/207, Champion 561462, Chicago Pneumatic 2202-7729-01, 6211-4743-50, Compair USA 73784, A11323374, Demag 11323374, 43246600, Eaton FILTER072, Elgi B005700770007, Fiac 7212240010, FU SHENG 94203-410, HERTZ 1311 1235 02, Ingersoll Rand 54672522, 88110556, Kaeser 6.2085.0, Kaishan 56010194401, Mann Filter 45 500 56 124, C20500, Sandvik 81721319, Tamrock 81721319, Woodward 0.0027323, 30007436, Baldwin RS3992, WIX 49131

WA-182248

Dimensional data & weight	Characteristics	Cross references
OD= 5 in ID= 2.7 in HGT= 4.88 in Weight= 0.81 lb	DOE filter element, paper media, metal end caps, inner & outer screen	Air Supply Co. 18-2248, Alup 172.05247, G395, Becker pump 840 402 07 000, Busch Vacuum 532.000.03, 532.000.00, 945.007.01, Dekker 000902, DVP 1801012, Filpro FP10-375, Leybold 712-13-283, Mako X0225, Mann & Hummel C1337, Nash Elmo 501 40220 02, Quincy 127357E011, Rietschle 730519, Solberg 848, C475500; Baldwin PA4706, WIX 49076

WA-182297

Dimensional data & weight	Characteristics	Cross references
OD= 8.25 in ID= 5.8 in HGT= 6.42 in Weight= 0.98 lb	DOE filter element, cellulose media, moulded ends, inner/outer screen	Aerzener 153871 000, Airtech ATC-21138, Alup 172.01201, Becker Pump 740 005 12 000, 840 401 12 000, DVP 1801029, Gardner Denver 8623901077000, Kaeser 6.2045.0, Leybold 710-35-242, Mann Filter C21138/1, NASH 501 40220 03, Rietschle 730 513, Rietschle 8623901077000, Solberg 862, Air Supply Co. 18-2297, Baldwin PA4877

WA-182301

Dimensional data & weight	Characteristics	Cross references
OD= 3.86 in ID= 2.36 in HGT= 2.76 in Weight= 0.35 lb	DOE filter element, metal end caps, cellulose media, inner/outer screen	Airtech ATC-1112, Becker Pump 840 401 07 000, Boge 569.7262.00, BUSCH 0532.000.002, 532.002.00, 945.006.01, Dekker 000901, 2924-0055-001, Demag 527306, DVP 1801015, Leybold 710-46-112, 710-46-118, Mann Filter C1112, MIL'S 356298, NASH ELMO 501 40220 01, OHIO 233783, Quincy 1273570000000000, Rietschle 730 514, Solberg 842, C275387, Stihl 4201 141 0300, VMECA VFSE34, Air Supply Co. 18-2301, Baldwin PA697, WIX 42977

WA-C713

Dimensional data & weight	Characteristics	Cross references
OD= 2.56 in ID= 1.5 in HGT= 4.84 in Weight= 0.3 lb	Open/Closed filter element, metal end caps, cellulose media, inner/outer mesh, bolt hole & gasket	Air Supply Co. 18-2667, Becker Pump 909 510 00 000, Mann Filter C713, Solberg 834

WA-182689

Dimensional data & weight	Characteristics	Cross references
OD= 2.5 in ID= 1.46 in HGT= 2.76 in Weight= 0.18 lb	Open/Closed round filter element, paper media, metal end caps and inner screen	Air Supply Co. 18-2689, Becker pump 909 521 00 000, Boge kompressoren 569.0021.00, Filpro FP10-168, Filter Mart 22-0360, Keltec KA28-017, Mann & Hummel C76/2, 45 006 53 134, Rietschle 730587, Solberg 828

WPA-182813

Dimensional data & weight	Characteristics	Cross references
OD= 5.1 in ID= 2.94 in HGT= 5.98 in Weight= 0.67 lb	Open/Closed round filter element, paper media, moulded ends and inner/outer screen	Broomwade 98262/205, Eaton FILTER011, Gardner Denver ZS1060579, Ingersoll Rand 39582721, 39588470, 92889534, Mann Filter C 1368, Performance 2685, Woodward 30052986, Air Supply Co. 18-2813, Keltec KA155-012, Filpro FP10-871, CompAir 98262-205

WA-186017

Dimensional data & weight	Characteristics	Cross references
OD= 4.25 in ID= 2.99 in HGT= 2.76 in Weight= 0.16 lb	DOE filter, paper media, moulded ends & outer screen	Pilot 0238, Rol-Air 0238CH, Chinook FR169/238, C-Aire 210-0238, Air Supply Co. 18-6017

WA-186098

Dimensional data & weight	Characteristics	Cross references
OD= 2.36 in ID= 1.34 in HGT= 2.76 in Weight= 0.08 lb	DOE filter, paper media moulded ends and reinforcement polyester ring	Air Supply Co. 18-6098, Atlas Copco 1622-0658-00, Bauer N25950, Boge 569.0041.01, Filpro FP10-1461, Keltec KA145-037, Mann & Hummel C630, Quincy 2200640815, Sotras SA6982, Worthington 6211473750, 2200640815, Filpro FP10-1461, WIX K63B245

WA-1213

Dimensional data & weight	Characteristics	Cross references
OD= 4.65 in ID= 2.83 in HGT= 2.48 in Weight= 0.29 lb	DOE filter, paper media, moulded ends, inner/outer screen	Air Supply Co. 18-6101, Avelair 10010002, BAUER R-9213, COAIRE CHSA-10M3-02, DV Systems DSC-001569, FIAC 7211360000, FS Curtis 1260007, 1485183, 2116040008, GRIMMER 124-63163, Mann Filter C1213, PARISE 6010040480, RENNER 80-10278, VANAIR 264469

WA-186795

Dimensional data & weight	Characteristics	Cross references
OD= 3.4 in ID= 2.15 in HGT= 2.8 in Weight= 0.09 lb	DOE filter element, paper media & moulded ends	Adicomp 40300021, Champion 271017002000, Fini 17002000, PARISE 6010040020, PNEUTECH 40300021, Air Supply Co. 18-6795

WA-186935

Dimensional data & weight	Characteristics	Cross references
OD= 8.94 in ID= 6.4 in HGT= 4 in Weight= 0.81 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Rotair 162-726-S, Worldair 162-726-S, Air Supply Co. 18-6935

WA-C75-1

Dimensional data & weight	Characteristics	Cross references
OD= 2.5 in ID= 1.46 in HGT= 2.76 in Weight= 0.18 lb	Open/Closed round filter element, metal end caps, cellulose media, inner/outer screen	Air Supply Co. 18-7501, Becker Pump 909 503 00 000, BUSCH 0532.000.034, Mann Filter C75/1

WA-190008

Dimensional data & weight	Characteristics	Cross references
OD= 6.87 in ID= 5.41 in HGT= 14.21 in Weight= 2.07 lb	Open/Closed filter element, metal end caps, cellulose media, inner/outer screen, closed end bolt hole and bottom gasket	Airmaze CD1420111-827, Compair USA 43-742, 43-850, Sullair 409854, Air Supply Co. 19-0008; Baldwin PA2605, WIX 46599

WA-190907

Dimensional data & weight	Characteristics	Cross references
OD= 9.88 in ID= 5.63 in HGT= 9.69 in Weight= 4.54 lb	DOE filter element, polyester media, metal end caps, inner & outer screen, two gaskets	Air Supply Co. 19-0907, Filter Mart 22-0547, Solberg 245, Filpro FP10-1146

WPA-190996

Dimensional data & weight	Characteristics	Cross references
OD= 4.25 in ID= 2.26 in HGT= 3.23 in Weight= 0.21 lb	DOE filter element, paper media, moulded ends, inner/outer screen	Abac 9056018, Aerzener 5034475/1, BAUER R-2595, Chicago Pneumatic 2236-1057-12, Kaeser 6.0215.0, Mann Filter C1126, Air Supply Co. 19-0996, WIX K06B362

WA-191004

Dimensional data & weight	Characteristics	Cross references
OD= 5.75 in ID= 3.54 in HGT= 2.87 in Weight= 0.29 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1004, American wholesale A0190, Atlas Copco 1503-0190-00, Ceccato/Mark 640075, Coaire CHSA-10-001, Filpro FP10-1013, Filter Mart 22-0430, Keltec KA35-013, Mann & Hummel C1632, 45 032 54 156, Schultz 007.0011.8, Solberg 108, C275587, Baldwin PA2072, WIX 46172

WA-191050

Dimensional data & weight	Characteristics	Cross references
OD= 7.78 in ID= 4.84 in HGT= 14.5 in Weight= 2.04 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1050, American wholesale AP354, Filpro FP10-11, Keltec KA375-010P, Solberg 334

WA-191069

Dimensional data & weight	Characteristics	Cross references
OD= 7.01 in ID= 5.2 in HGT= 5.91 in Weight= 0.65 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Solberg 105, Campbell Hausfeld PS008800AV, Air Supply Co. 19-1069, Filpro FP10-3847, Filter Mart 22-0486, Keltec KA70-003, Schultz Compressor 007.0136-0

WA-191081

Dimensional data & weight	Characteristics	Cross references
OD= 6.46 in ID= 4.53 in HGT= 5.51 in Weight= 1.44 lb	DOE filter element, polyester media, moulded ends, inner & outer screen	Broomwade A10300/36, Comp Air A10300/36, Compair USA 71840, Filpro FP10-4040, Air Supply Co. 19-1081, Filter Mart 22-1958, Hydrovane A.10300-36, Keltec KS25-019

WA-32D

Dimensional data & weight	Characteristics	Cross references
OD= 5.73 in ID= 3.48 in HGT= 4.78 in Weight= 0.5 lb	DOE filter element, paper media, moulded ends and inner & outer screen	Air Supply Co. 19-1091, Bauer R-1501, Filpro FP10-3908, Filter Mart 22-1954, Keltec KA70-018, Mann & Hummel C1690, Quincy 128849E362, 1627410018, Solberg 30, Walmi WA-191091, WIX K02A355

WA-32DP

Dimensional data & weight	Characteristics	Cross references
OD= 5.73 in ID= 3.48 in HGT= 4.78 in Weight= 0.51 lb	DOE filter element, paper media, moulded ends, inner/outer screen & prefilter	Air Supply Co. 19-1092, Champion P07625A, COAIRE CHSA-20-001, CHSA-25-001, Compair USA 0300181, 43-840-1, FS Curtis RN24020-1, Filpro FP10-4370, Green Valley Compressor 552, Saylor Beall 8389, Solberg 30P, Sullair 02250094-135 Spencer Turbine ELE90045, Performance Filtration 1656, Walmi WA-191092

WA-191096

Dimensional data & weight	Characteristics	Cross references
OD= 5.73 in ID= 3.48 in HGT= 9.35 in Weight= 0.81 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1096, FS Curtis RN24030-1, Green Valley Compressor 554, Quincy 2023400855, Keltec KA115-010, Saylor Beall 6105, Solberg 230P, Spencer Turbine ELE90044, WIX K04A530

WA-191097

Dimensional data & weight	Characteristics	Cross references
OD= 7.78 in ID= 4.84 in HGT= 4.38 in Weight= 0.76 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1097, Filpro FP10-4376, FP10-1155, Keltec KA125-019, Solberg 34

WA-191099

Dimensional data & weight	Characteristics	Cross references
OD= 7.87 in ID= 6.02 in HGT= 7.87 in Weight= 0.92 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Maze 8DM-007, Air Refiner ARP58, Davey Compressor 42959, Filpro FP10-510, Filter Mart 22-0057, FleetGuard AF4073, Gardner Denver 2010486, 276788, 5L111, Hastings AF2222, Ingersoll Rand 33036176, 37099248, 37099249, 37853066, Joy 1222490, 1222940, 3606283-0025, 3606283-21, 514197-39, Keltec KA135-010, Schramm 5000-0926, Sullair 47437, WIX K11B429, K07A429, Air Supply Co. 19-1099

WA-16D

Dimensional data & weight	Characteristics	Cross references
OD= 4.41 in ID= 2.95 in HGT= 2.34 in Weight= 0.2 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1101, Air Refiner ARP-76, American Wholesale A425, Campbell Hausfeld ST073903AV, Champion P05050A, Compair 43-652, 43-661, DV Systems 355-9701, 357-9700, Filpro FP10-4089, FP10-635, Filter Mart 22-1301, Florida Pneumatic AF-16D, FS Curtis VA1118, VA1163, Gardner Denver 2109945, Grainger 1R416, 4ZJ93, Ingersoll Rand 32171979, 32282196, Keltec KA28-004, Kohler 231847, Onan 140-1188, Quincy 111146E100, 2013401984, 2023405403, Solberg 14, Sullair 243196, Schultz Compressor 007.0118-0, Thomas Industries C88072, Vanair 254284, 264284, Baldwin PA1712, Worthington ELM-88, WIX 42374

WA-191102

Dimensional data & weight	Characteristics	Cross references
OD= 7.68 in ID= 4.15 in HGT= 4.85 in Weight= 0.87 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Baldwin PA4072, Filpro FP10-1075, Ingersoll Rand 39449293, Keltec KA140-014, V55483, Air Supply Co. 19-1102, WIX 42711

WA-453C

Dimensional data & weight	Characteristics	Cross references
OD= 5.12 in ID= 3.54 in HGT= 2.36 in Weight= 0.4 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-1103, 19-1719, Airmaze 15DA-007, 15DM-007, Briggs & Stratton 392286, Filpro FP10-5866, Keltec KS15-007, Sullair 250024-421, 250025-421, 250028-034

WA-191104

Dimensional data & weight	Characteristics	Cross references
OD= 7.68 in ID= 4.15 in HGT= 2.8 in Weight= 0.63 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Maze 83DM-007, American Wholesale A510, A800, Atlas Copco FLR-346, Baldwin PA1889, Compair USA 51186, 43-665, Filpro FP10-797, Filter Mart 22-0039, FleetGuard AF4872, Ingersoll Rand 35103217, 35147145, Air Supply Co. 19-1104, Joy 1660264, Keltec KA150-022, Mann filter C1953, Quincy 121708, 2013400053, Solberg 80, The Filter CO AEHJ, Worthington ELM-346, Baldwin PA1889, WIX 46210

WA-191105

Dimensional data & weight	Characteristics	Cross references
OD= 9.21 in ID= 5.91 in HGT= 4.41 in Weight= 0.99 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1105, Filpro FP10-4384, Joy 1660998, Keltec KA150-028, Mann & Hummel C1555/1, Baldwin PA1852, WIX 42157

WA-191106

Dimensional data & weight	Characteristics	Cross references
OD= 10.08 in ID= 7.02 in HGT= 5 in Weight= 1.15 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1106, Performance Filtration 2506, Filpro FP10-488, IFM M601-401, Keltec KA160-020, Solberg 32-18, 103, Stoddard F8-109, WIX K11A488

WA-191108

Dimensional data & weight	Characteristics	Cross references
OD= 9.84 in ID= 5.98 in HGT= 4.92 in Weight= 1.39 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Compair USA 43-832-1, 43-831-2, Filpro FP10-339, Filter Mart 22-0224, Hydac 02055379, Air Supply Co. 19-1108, Keltec KA190-009P, Solberg 44P

WA-191109

Dimensional data & weight	Characteristics	Cross references
OD= 9.67 in ID= 7.2 in HGT= 4 in Weight= 0.75 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air refiner ARP-669, Air Supply Co. 19-1109, Baldwin PA2095, Compair USA 0055669, 0059183, EM P974, Filpro FP10-154, Hydrovane PE605, Keltec KA195-010, KA65-005, Kemp 91678, Kellogg 55669, Pionner air systems A6-00090-40166, Royal Filter RO81-0472, Solberg 32-04, Universal 81-0472, WIX K25C394

WA-191114

Dimensional data & weight	Characteristics	Cross references
OD= 6 in ID= 3.5 in HGT= 8.74 in Weight= 1.35 lb	DOE filter element, paper media, metal end caps, inner screen & gaskets (2)	Air refiner ARM-1541, Air Supply Co. 19-1114, American wholesale A850, Baldwin PA1901, Becker pump 840 401 10 000, Busch vacuum 532.000.004, 532.004.00, 945.008.001, Campbell Hausfeld VP357900, Gardner Denver 1060579, Filpro FP10-397, Kaeser 6.2044.0, Keltec KA210-011, KC135-018, Leybold 712-13-293, Mann & Hummel C15124/1, Quincy 127357E012, 2010302058, Rietschle 730517, 731324, Rotron blower 516435, Solberg 850, C875587, Sullair 250023-939, WIX 46290, AIAS 19962, Dekker vacuum 000904, Husky 679482, Mil's 357900, Sonic 10316, Unimove 3206

WA-191116

Dimensional data & weight

OD= 7.68 in
ID= 4.15 in
HGT= 4.25 in
Weight= 0.8 lb

Characteristics

DOE filter element, paper media,
moulded ends, inner & outer screen

Cross references

Air Maze 14DM-007, 84DM-007, Champion P04224A, Davey Compressor 123-10-6-5446-00, A65446, A65865, Gardner Denver 2116099, Air Refiner ARP-72, American Wholesale A840, Atlas Copco ELM 91, Air Supply Co. 19-1116, Baldwin PA1949, Filpro FP10-824, Filter Mart 22-0320, Ingersoll Rand 35517978, 37802857, Keltec KA225-004, Solberg 84, Sullair 40187, Wix 46214, Worthington ELM-91

WA-191117

Dimensional data & weight

OD= 3.78 in
ID= 1.42 in
HGT= 2.87 in
Weight= 0.24 lb

Characteristics

DOE filter element, paper media,
moulded ends, inner & outer screen

Cross references

Air Supply Co. 19-1117, Emglo/Jenny Products 150-1010, L54E, Solberg 100, Filpro FP10-4231, Keltec KA25-004

WA-191120

Dimensional data & weight

OD= 7.78 in
ID= 4.84 in
HGT= 9.37 in
Weight= 1.31 lb

Characteristics

DOE filter element, paper media,
moulded ends, inner & outer screen

Cross references

Air Supply Co. 19-1120, American wholesale AP444, Compair 43-831-1, Curtis RN24040-1, Filpro FP10-977, Filter Mart 22-0284, GAST AJ135C, Keltec KA250-022, Quincy 125420E300, 2013401993, Solberg 234, Sullair 250024-867, WIX K15A561

WA-191121

Dimensional data & weight

OD= 7.78 in
ID= 4.84 in
HGT= 9.37 in
Weight= 1.34 lb

Characteristics

DOE filter element, paper media,
moulded ends, inner/outer screen &
prefilter

Cross references

Air Supply Co. 19-1121, Compair 43-831-1, Curtis RN24040-1, Filpro FP10-353, Filter Mart R2-0215, Keltec KA250-022P, Quincy 127357E013, 2010302059, 141469-050, Solberg 234P, Sullair 250024-867, Traviani 601-0570-A002

WA-191123

Dimensional data & weight

OD= 5.75 in
ID= 4.25 in
HGT= 2.5 in
Weight= 0.26 lb

Characteristics

DOE filter element, paper media,
moulded ends, inner & outer screen

Cross references

Air Supply Co. 19-1123, Filpro FP10-153, EM PROD P-642, Solberg 32-02, Universal 81-0471, WIX K30B456

WA-20D

Dimensional data & weight

OD= 4.41 in
ID= 2.95 in
HGT= 4.78 in
Weight= 0.29 lb

Characteristics

DOE filter element, paper media,
moulded ends, inner & outer screen

Cross references

Air Supply Co. 19-1124, Filpro FP10-4400, Florida Pneumatic AF-20D, Solberg 18, Keltec KA30-005

WA-20DP

Dimensional data & weight

OD= 4.41 in
ID= 2.95 in
HGT= 4.78 in
Weight= 0.29 lb

Characteristics

DOE filter element, paper media,
moulded ends, inner/outer screen &
prefilter

Cross references

Air Supply Co. 19-1125, Atlas Copco ELM77, Campbell Hausfeld ST073907AV, Compair 43-651, Ingersoll Rand 32127482, 32012957, Keltec KA30-005P, Quincy 2023400860, Johnson Controls 02-53-399, A4000-613, Solberg 18P, FS Curtis RN24015-1, VA1121, Vanair 264418, Worthington ELM-77, WIX 49177, Woodward Sales 30009049, Travaini Pump 601-0100-A002

WA-191126

Dimensional data & weight	Characteristics	Cross references
OD= 4.36 in ID= 3.01 in HGT= 4.53 in Weight= 0.26 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Maze 3DM-007, Air Refiner ARP-79, Filpro FP10-964, Filter Mart 22-0051, Air Supply Co. 19-1126, Gardner Denver 2008153, 2010945, Ingersoll Rand 32178667, Keltec KA30- 007, The Filter CO AE2010945, WIX 46063

WA-191127

Dimensional data & weight	Characteristics	Cross references
OD= 6 in ID= 3.5 in HGT= 8.74 in Weight= 1.37 lb	DOE filter element, paper media, metal end caps, inner screen, gasket & prefilter	Air Supply Co. 19-1127, Filpro FP10-1342, Solberg 850P

WA-191128

Dimensional data & weight	Characteristics	Cross references
OD= 9.84 in ID= 5.98 in HGT= 3.54 in Weight= 1.12 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Maze 94DM-007, American Wholesale A4009, Atlas Copco ELM 92, Baldwin PA1861, Champion P04401A, Chicago Pneumatic 52PS5412-11, CPT 52541211, 52PS5412- 11, Davey Compressor 83001, Filpro FP10-673, Filter Mart 22- 0165, Gardner Denver 2116273, Grimmer Schmidt 9-28997N, Ingersoll Rand 35148147, 37165289, 37802840, W138331, Jaeger 10000116, Keltec KA300-018, Air Supply Co. 19-1128, Quincy 121724, Sullair 40099, Sullivan/Palatek 00521-007, Worthington ELM-92, WIX 42932

WA-191133

Dimensional data & weight	Characteristics	Cross references
OD= 9.72 in ID= 5.96 in HGT= 9.63 in Weight= 2.06 lb	DOE filter element, paper media, moulded ends, inner/outer screen & prefilter	Air Supply Co. 19-1133, American wholesale AP554, Champion P7172A, P08564A, Curtis RN24050-1, Filpro FP10- 126, Filter Mart 22-0085, Keltec KA385-002P, Quincy 127357E014, Solberg 244P, Sonic 10316, Sullair 250026-148, WIX K23A545

WA-191136

Dimensional data & weight	Characteristics	Cross references
OD= 9.84 in ID= 5.98 in HGT= 5.35 in Weight= 1.45 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Maze 95DM-007, Baldwin PA1916, Canadian Air 1267-2, Champion P07171A, Air Supply Co. 19-1136, Sullair 040899, Quincy 127058E350, 2013400112, Ingersoll Rand 35104793, 35331966, Joy 1223813, 1224813, Chicago Pneumatic 56PS5908, Compair USA 54051, 43-663-1, Filpro FP10-579, WIX 42933

WA-191140

Dimensional data & weight	Characteristics	Cross references
OD= 6.61 in ID= 4.98 in HGT= 4.02 in Weight= 0.32 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Stoddard F8-108, Filpro FP10-493, Hitachi 30715160, 639675000, Air Supply Co. 19-1140, Solberg 32-16, Gardner Denver ASW3516, Keltec KA50-023, Performance Filtration 2342, WIX K31A406

WA-191144

Dimensional data & weight	Characteristics	Cross references
OD= 6.74 in ID= 4.74 in HGT= 5.1 in Weight= 0.57 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1144, Filpro FP10-874, Quincy 126467E450, Keltec KA70-011, Rogers H2406, Solberg 101

WA-191150

Dimensional data & weight	Characteristics	Cross references
OD= 5.73 in ID= 3.48 in HGT= 9.35 in Weight= 0.79 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1150, Filpro FP10-4373, Quincy 125420E200, 2013401992, Keltec KA115-010, Solberg 230, WIX K04A530

WA-191156

Dimensional data & weight	Characteristics	Cross references
OD= 5.24 in ID= 3.01 in HGT= 11.36 in Weight= 1.39 lb	Open/Closed filter element, metal end caps, cellulose media, inner/outer screen, closed end bolt hole and bottom gasket	Air Supply Co. 19-1156, Ingersoll Rand 2116150, 39148952, Gardner Denver 2116150, Airmaze CD0612610-826, Fleetguard AF1744M, Champion 2117900, Air Supply Co. 19-1156, Keltec KC125-002, Baldwin PA2513, WIX 42532, Ford D5NN-9601-B

WA-191161

Dimensional data & weight	Characteristics	Cross references
OD= 9.72 in ID= 5.96 in HGT= 9.63 in Weight= 2.02 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1161, Filpro FP10-1069, Filter Mart 22-0545, Keltec KA385-002, Quincy 125420E400, 2013400095, Solberg 244

WA-191327

Dimensional data & weight	Characteristics	Cross references
OD= 7.87 in ID= 4.8 in HGT= 4.92 in Weight= 2.55 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-1327, Filpro FP10-5862, Keltec KS110-009, Solberg 35

WA-231C

Dimensional data & weight	Characteristics	Cross references
OD= 5.73 in ID= 3.48 in HGT= 9.5 in Weight= 1.41 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-1329, Curtis VA1144, Filpro FP10-5865, FP10-3789, Keltec KS120-009, Quincy 110377E300, 2023400854, Solberg 231

WA-231CP

Dimensional data & weight	Characteristics	Cross references
OD= 5.73 in ID= 3.48 in HGT= 9.5 in Weight= 1.43 lb	DOE filter element, polyester media, moulded ends, inner screen & prefilter	Air Supply Co. 19-1330, Air Compressor Sales S2205, Airtek TP-1430-E, American wholesale AP435, Champion P8208A, Compair USA 0053536, FS Curtis VA1144, Filpro FP10-672, Filter Mart 22-0283, Gardner Denver 2115929, GAST AJ135A, Joy 3760527-0001, 543437-0001, Performance Filtration 1635, Keltec KS120-009P, Quincy 2023400864, Rotron Blower 515125, 515134, Solberg 231P, Squire-Cogswell 102848, Sunshine 20152KP5, The Filter Co. AE231P, WIX K87A524

WA-191336

Dimensional data & weight	Characteristics	Cross references
OD= 7.87 in ID= 4.8 in HGT= 9.61 in Weight= 3.02 lb	DOE filter element, polyester media, moulded ends, inner screen & prefilter	Gardner Denver 2116118, 2116668, Quincy 127357E004, 141469-051, 2013401990, Rotron Blower 515135, Solberg 235P, Sullair 250002-732, Travaini Pump 601-0570-A003, AFI-520-4004, Dekker Vacuum 2924-0570-001, FS Curtis VA1133, Joy 3760527-0002, Air Supply Co. 19-1336, Baldwin PA30067, WIX 49231

WA-16C

Dimensional data & weight	Characteristics	Cross references
OD= 4.41 in ID= 2.95 in HGT= 2.34 in Weight= 0.29 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-1337, Air compressor sales S1183, Campbell Hausfeld ST073905AV, Champion P05050A, Compair 43-662, 0076701, DV Systems 355-9702, 357-9700, Filpro FP10-4089, Gardner Denver 2109994, Ingersoll Rand 32170979, Keltec KA28-004, Quincy 110377E075, 2023400851, Solberg 15, Thomas Industries C88072, Vanair 254284, 264284

WA-20C

Dimensional data & weight	Characteristics	Cross references
OD= 4.41 in ID= 2.95 in HGT= 4.78 in Weight= 0.49 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-1342, Quincy 110377E100, 2023400852, Filpro FP10-5879, Ingersoll Rand 32019787, Keltec KS45-005, Solberg 19, Walmi WA-191342

WA-20CP

Dimensional data & weight	Characteristics	Cross references
OD= 4.41 in ID= 2.95 in HGT= 4.78 in Weight= 0.5 lb	DOE filter element, polyester media, moulded ends, inner screen & prefilter	Air Supply Co. 19-1343, Air Compressor Sales S1027, Campbell Hausfeld ST073907AV, ST073908AV, Champion P05051A, Compair USA 0051291, 43-763, Dekker Vacuum 2924-0100-001, Eagle Compressors 23-0104, Gardner Denver 2109946, P07447A, Ingersoll Rand 32012940, 32175466, 36330T78, 3W114080B, Keltec KS45-005P, Quincy 110377E904, 2023400859, Schultz 603.1800-5, Solberg 19P, Sullair 243197, Sullivan Palatek 00521-001, 28174-001, Baldwin PA2038, Travaini pump 601-0100-A003, Worthington ELM-94, MUF-307, WIX 49177, Walmi WA-191343

WA-191345

Dimensional data & weight	Characteristics	Cross references
OD= 7.94 in ID= 6.14 in HGT= 8.15 in Weight= 1.66 lb	DOE filter element, polyester media, moulded ends, inner & outer screen	Air Supply Co. 19-1345, Air Maze 30DA-007, Filpro FP10-4194, Filter Mart 22-0062, Gardner Denver 2115785, Ingersoll Rand 40016586, Keltec KS50-012P

WA-191347

Dimensional data & weight	Characteristics	Cross references
OD= 4.41 in ID= 1.69 in HGT= 5.79 in Weight= 0.88 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-1347, Gardner Denver 2109395, 9411201, Ingersoll Rand 37046455, 39750393, W114080, W114080A, Solberg 1111, 11925

WA-191348

Dimensional data & weight	Characteristics	Cross references
OD= 5.75 in ID= 4.25 in HGT= 5.98 in Weight= 0.75 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Maze 5DA-007, Filpro FP10-3904, Filter Mart 22-1302, Gardner Denver 2008155, 2008154, 2109517, Ingersoll Rand 35863545, Keltec KS60-014

WA-191350

Dimensional data & weight	Characteristics	Cross references
OD= 7.94 in ID= 6.14 in HGT= 4.53 in Weight= 0.99 lb	DOE filter element, polyester media, moulded ends, inner & outer screen	Air Maze 40DA-007, Filpro FP10-4179, Filter Mart 22-0064, Gardner Denver 2010234, 2115786, Keltec KS75-009

WA-191351

Dimensional data & weight	Characteristics	Cross references
OD= 9.76 in ID= 7.8 in HGT= 5.79 in Weight= 2.1 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Maze 50DA-007, Gardner Denver 2010220, 2010221, 2115787, Joy 3606283-0005, Filpro FP10-191, Filter Mart 22-0066, Keltec KS85-012P, Sunshine 20196-826

WA-32C

Dimensional data & weight	Characteristics	Cross references
OD= 5.73 in ID= 3.48 in HGT= 4.78 in Weight= 0.85 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-1352, Air Compressor Sales S2200, American wholesale AP431, FS Curtis VA1129, Filpro FP10-5887, Keltec KS88-005, Quincy 110377E200, 2023400853, Solberg 31, Spencer turbine ELE90045, WIX 49206

WA-32CP

Dimensional data & weight	Characteristics	Cross references
OD= 5.73 in ID= 3.48 in HGT= 4.78 in Weight= 0.86 lb	DOE filter element, polyester media, moulded ends, inner screen & prefilter	Air Supply Co. 19-1353, Compair 76378, Filter Mart 22-5046, Filpro FP10-39, Keltec KS88-005P, Gardner Denver 2115928, GAST AJ134E, Solberg 31P, Sunshine 20151KP5, GAST AJ134E, Performance Filtration 1658, Quincy 110377E906, 2023400861, Sullivan Palatek 00521-007SP, FS Curtis VA1123, Shawndra/Sparks 321-1469WK5, Rotron Blower 515133

WA-191355

Dimensional data & weight	Characteristics	Cross references
OD= 6.9 in ID= 5.1 in HGT= 7 in Weight= 1.13 lb	DOE filter element, polyester media, moulded ends, inner & outer screen	Air Maze 7DA-007, Air Supply Co. 19-1355, Filpro FP10-3905, Filter Mart 22-0054, Gardner Denver 2010235, 2010394, Keltec KS95-011, Ingersoll Rand 37137502

WA-191550

Dimensional data & weight	Characteristics	Cross references
OD= 12.5 in ID= 9.51 in HGT= 5 in Weight= 1.35 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1550, Filpro FP10-489, IFM M635-401, Performance Filtration 1070, Keltec KA160-018, Stoddard F8-110, Solberg 32-20, WIX K10A531

WA-191551

Dimensional data & weight	Characteristics	Cross references
OD= 12.5 in ID= 9.51 in HGT= 10 in Weight= 2.24 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-1551, Filpro FP10-167, Gardner Denver ASW2087, IFM M636-401, Keltec KA525-005, Filpro FP10-167, Larnan R234-10, Solberg 32-22, 135, Stoddard F8-111, United blower F8-111, WIX K33A599

WA-191635

Dimensional data & weight	Characteristics	Cross references
OD= 9.88 in ID= 5.63 in HGT= 9.69 in Weight= 4.57 lb	DOE filter element, polyester media, metal end caps, inner screen, two gaskets & prefilter	Air Supply Co. 19-1635, Filpro FP10-5882, FP10-125, Keltec KS450-024P, Quincy 127357E005, 2013401991, Solberg 245P, Sonic 10317, Sullair 02250046-638, 250002-733, WIX K90A821

WA-191655

Dimensional data & weight	Characteristics	Cross references
OD= 5 in ID= 2.7 in HGT= 4.88 in Weight= 1.11 lb	DOE filter element, polyester media, metal end caps & inner screen	Air Supply Co. 19-1655, Busch Vacuum 0532.121.862, 0532.900.240, Champion P06044A, Filpro FP10-5881, GAST AJ135E, Grainger 6JC95, Keltec KS45-023, Quincy 127357E002, 145544E002, 2010302050, Rotron blower 515434, Solberg 849, E475500

WHA-191759

Dimensional data & weight	Characteristics	Cross references
OD= 9.03 in ID= 5.3 in HGT= 17.13 in Weight= 4.45 lb	Open/Closed filter element, metal end caps, cellulose media, inner/outer screen, closed end bolt hole and bottom gasket	Sullivan/Palatek 00521-110, Chicago Pneumatic 12PS4932, Quincy 2013400457, 23458-4, Gardner Denver 2116713, 2118180, Sullivan Palatek 00521-110, Champion 2118180, Chicago Pneumatic 12PS4932, Airmaze CD1117509-826, CD1117610-826, Air Supply Co. 19-1759, Baldwin PA2546, WIX 42676

WHA-191767

Dimensional data & weight	Characteristics	Cross references
OD= 8.09 in ID= 6.97 in HGT= 15.83 in Weight= 5.62 lb	Open/Closed filter element, metal end caps, cellulose media, inner/outer screen, closed end bolt hole and bottom gasket	Sullair 02250-135-148, 409853, Gardner Denver 2117151, 2118181, Champion 2118181, Airmaze CD1417700-826, CD1420111-826, CompAir USA 43-654, 43-849, Quincy 1627410038, 23458-2, Baldwin PA2611, Air Supply Co. 19-1767, WIX 46598, Massey Ferguson 1044273-M91

WA-191950

Dimensional data & weight	Characteristics	Cross references
OD= 7.24 in ID= 5.55 in HGT= 4.06 in Weight= 0.73 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-1950, American Wholesale A4005, Air Maze S30DA826, Filter Mart 23-1741, FILPRO FP10-581, Ingersoll Rand 1X8287, 40026643, 40051898, Sullair 240158 Sunshine 20176K5

WA-191950

Dimensional data & weight	Characteristics	Cross references
OD= 7.24 in ID= 5.55 in HGT= 4.06 in Weight= 0.73 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-1950, American Wholesale A4005, Air Maze S30DA826, Filter Mart 23-1741, FILPRO FP10-581, Ingersoll Rand 1X8287, 40026643, 40051898, Sullair 240158 Sunshine 20176K5

WA-192261

Dimensional data & weight	Characteristics	Cross references
OD= 11.48 in ID= 9.9 in HGT= 7 in Weight= 2.02 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-2261, EM F-1192, Filpro FP10-1140, Filter Mart 23-2283, Keltec KS175-020, Royal Filter RA81-1206, Solberg 32-09, Sunshine 20200K5, Universal 81-1206

WA-192308

Dimensional data & weight	Characteristics	Cross references
OD= 9.67 in ID= 7.2 in HGT= 6 in Weight= 0.98 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-2308, Baldwin PA5665, Compair 0058324, EM P-976, Filpro FP10-158, Filter Mart 22-0389, Hanshin 515040, Hydrovane R20000-235, Keltec KA145-005, MATTEI 10919, CR21C10919, NAPA 2788, Royal Filter RA81-1063, Solberg 32-06, 103, Universal 81-1063, WIX 42788

WA-C79-2

Dimensional data & weight	Characteristics	Cross references
OD= 2.56 in ID= 1.5 in HGT= 2.83 in Weight= 0.21 lb	Open/Closed round filter element, paper media, metal end caps, inner screen & gasket	Air Supply Co. 19-2471, Baldwin PA4891, Becker Pump 909 505 00 000, 840 404 05 000, Busch Vacuum 532.015.00, Mann Filter C79/2, Rietschle 730 509, Solberg 832, WIX K08B338

WA-192481

Dimensional data & weight	Characteristics	Cross references
OD= 5.75 in ID= 4.25 in HGT= 2 in Weight= 0.38 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-2481 (supersede 11-2481), Filpro FP10-1244, Filter Mart 23-2279, Royal Filter RA81-1202, Solberg 32-01, Sunshine 20197K5, Universal 81-1202

WA-192501

Dimensional data & weight	Characteristics	Cross references
OD= 5.75 in ID= 4.25 in HGT= 2 in Weight= 0.23 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-2501, Baldwin PA4706, Filpro FP10-482, Keltec KA28-006, Royal Filter RA81-0470, Solberg 32-00, 848, C475500, Universal 81-0470, WIX 49076

WA-192541

Dimensional data & weight	Characteristics	Cross references
OD= 2.87 in ID= 1.73 in HGT= 5.12 in Weight= 0.17 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-2541, American wholesale A220, Compair USA 220-263-93, Filpro FP10-1025, Keltec KA35-008

WA-C1112-2

Dimensional data & weight	Characteristics	Cross references
OD= 3.86 in ID= 2.36 in HGT= 2.91 in Weight= 0.33 lb	Open/Closed round filter element, paper media, metal end caps, inner/outer screen & gasket	Air Supply Co. 19-2604, Baldwin PA4708, Becker Pump 909 507 00 000, DVP 1801049, Mann Filter C1112/2, 45 021 55 104, Solberg 844, DVP 1801049, WIX K04B356

WA-192622

Dimensional data & weight	Characteristics	Cross references
OD= 7.93 in ID= 5.73 in HGT= 2.83 in Weight= 0.44 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-2622, Filpro FP10-1472, Filter Mart 37-7193, Ingersoll Rand 35125541, Keltec KA88-014, KH450-020, Quincy 127225-050, 2013400119, Solberg 102

WA-16CP

Dimensional data & weight	Characteristics	Cross references
OD= 4.41 in ID= 2.95 in HGT= 2.34 in Weight= 0.29 lb	DOE filter element, polyester media, moulded ends, inner screen & prefilter	Air Supply Co. 19-2659, Filpro FP10-5871, Keltec KS25-002P, Performance filtration 1622, Quincy 110377E901, 2023400856, Solberg 15P

WA-192821

Dimensional data & weight	Characteristics	Cross references
OD= 8.28 in ID= 6.41 in HGT= 3.27 in Weight= 0.53 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-2821, Baldwin PA650, Bush vacuum 532.008.00, Champion 2117176, 2117763, Compair 220-320-121, FS Curtis 856-443-09, CS648, Filpro FP10-3912, Filter Mart 33-7190, KA41-008, Fini 017027000, Gardner Denver 2117175, 2117176, 2117715, 2117763, Komsan 15456120, Mann Filter C2263, Sullivan Palatek 15456-120, 31-85644-309, Tamrock/Tamrotor 85644309, Vanair 264080, WIX K72B365

WA-C912

Dimensional data & weight	Characteristics	Cross references
OD= 3.35 in ID= 2.36 in HGT= 2.87 in Weight= 0.25 lb	Open/Closed round filter element, paper media, metal end caps, inner screen & gasket	Air Supply Co. 19-2918, Baldwin PA4872, Becker Pump 909 506 00 000, Filpro FP10-395, Mann Filter C912, Solberg 838, Rietschle 730 533, Keltec KA70-042, WIX W02AP307, Woodgate WGA962

WA-192925

Dimensional data & weight	Characteristics	Cross references
OD= 9.67 in ID= 7.2 in HGT= 4 in Weight= 1.63 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-2925, EM F-974, Filpro FP10-1245, Filter Mart 23-2281, Royal Filter RA81-1204, Solberg 32-05, Sunshine 20181K5, Universal 81-1204

WA-192926

Dimensional data & weight	Characteristics	Cross references
OD= 9.67 in ID= 7.2 in HGT= 6 in Weight= 2.15 lb	DOE filter element, polyester media, moulded ends & inner screen	Universal 81-1205, Solberg 32-07, EM F-976, Filpro FP10-902, Air Supply Co. 19-2926, Royal Filter RA81-1205, Filter Mart 23-2281, Sunshine 20199K5

WA-192983

Dimensional data & weight	Characteristics	Cross references
OD= 7.28 in ID= 5.55 in HGT= 5.12 in Weight= 0.6 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 19-2983, Bauer/Rotorcomp R-1225, Filpro FP10-3907, Filter Mart 22-1970, Keltec KA70-028

WA-16DP

Dimensional data & weight	Characteristics	Cross references
OD= 4.41 in ID= 2.95 in HGT= 2.34 in Weight= 0.2 lb	DOE filter, paper media, moulded ends, inner/outer screen & prefilter foam	Air Supply Co. 19-2993, Solberg 14P, Green Valley Compressor 550, Johnson Controls A4000-612, Performance Filtration 1620, Filpro FP10-4380, FP10-668, Keltec KA140-010P, Gast AJ134B

WA-193078

Dimensional data & weight	Characteristics	Cross references
OD= 9.72 in ID= 5.96 in HGT= 14.5 in Weight= 2.82 lb	DOE filter, paper media, moulded ends, inner/outer screen	Air Supply Co. 19-3078, American wholesale AP564, Filpro FP10-123, Keltec KA600-029P, Paxton Blower 2746205, Ohio Medical 233921, Solberg 344P, WIX K37A785

WPA-193095

Dimensional data & weight	Characteristics	Cross references
OD= 6.44 in ID= 3.45 in HGT= 14.06 in Weight= 1.95 lb	Radial seal outer element, moulded ends, cellulose media & inner/outer mesh	Ingersoll Rand 22203095, Air Supply Co. 19-3095, Baldwin RS5745, WIX K25A744, Yale 580088196

WA-193267

Dimensional data & weight	Characteristics	Cross references
OD= 4.65 in ID= 2.64 in HGT= 5.28 in Weight= 0.41 lb	DOE filter element, paper media & moulded ends	Air Supply Co. 19-3267, Atlas Copco 1613-8720-00, Baldwin PA30015, Compair USA A1001611, FIAC 7211450010, Quincy 6211472350, Ingersoll Rand 88226220, 89295976, Filpro FP10-1143, Keltec KA65-017, Mann & Hummel C1250, Sotras SA6931, WIX 49872

WPA-4993

Dimensional data & weight	Characteristics	Cross references
OD= 10.87 in ID= 7.99 in HGT= 20.16 in Weight= 4.64 lb	Radial seal outer element, moulded ends, cellulose media & inner/outer mesh	Air Supply Co. 19-3333, Ingersoll Rand 22130223, Baldwin RS4993, WIX 49708, Donaldson P613333, Fleetguard AF25708M, Luber-Finer LAF5962, Nelson 870904A, 870904N

WA-70243712

Dimensional data & weight	Characteristics	Cross references
OD= 1.69 in ID= 0.75 in HGT= 1.22 in Weight= 0.07 lb	DOE filter element, paper media, plastisol moulded ends & inner screen	Air Supply Co. 19-3712, Ingersoll Rand 70243712

WA-194350

Dimensional data & weight	Characteristics	Cross references
OD= 7.94 in ID= 6.14 in HGT= 6.6 in Weight= 0.57 lb	DOE filter element, paper media, moulded ends & inner screen	Grainger 2W435 (Dayton vaccum cleaners), Air Supply Co. 19-4350

WA-194362

Dimensional data & weight	Characteristics	Cross references
OD= 5.15 in ID= 1.95 in HGT= 2.3 in Weight= 0.31 lb	DOE filter element, paper media, moulded ends, inner & outer screen	DV Systems 43631-009, Air Supply Co. 19-4362

WA-851C

Dimensional data & weight	Characteristics	Cross references
OD= 5.73 in ID= 3.48 in HGT= 8.63 in Weight= 1.37 lb	DOE filter element, polyester media, moulded ends & inner screen	Air Supply Co. 19-8510, Air Maze ED05009DA, American wholesale AP851P, Filpro FP10-935, FP10-5878, Filter Mart 22-1345, 22-1347, 23-2525, Gardner Denver 2116675, Grainger 6CJ96, Keltec KS41-009P, PIAB PSF2.0RE, Solberg 851, Sunshine 20326KP5, The Filter Co. AE5HGEEPG, VMECA VSFPE03, Busch Vacuum 0532.121.863, Gast AG340, AJ135F, Ohio Medical 233918, 233928, WIX K59B763

WHA-471110

Dimensional data & weight	Characteristics	Cross references
OD= 14.76 in ID= 7.99 in HGT= 14.53 in Weight= 8.49 lb	DOE filter element, paper media, metal end caps, outer/inner screen & gaskets (2)	Ingersol Rand 39750732, 39903265, Air Supply Co. 47-1110, WIX K12A920, Filpro FP10-568, Keltec KA1950-001, KA1950-011, Royal Filter RA39711732, The Filter Co. AE39750732

WA-471115

Dimensional data & weight	Characteristics	Cross references
OD= 11.48 in ID= 9.9 in HGT= 7 in Weight= 1.09 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 47-1115, EM PROD P-1197, Filpro FP10-155, Keltec KA220-008, Royal Filter RO81-0474, Solberg 32-08, Universal 81-0474, WIX K14A533

WA-471129

Dimensional data & weight	Characteristics	Cross references
OD= 13.65 in ID= 11.57 in HGT= 8.63 in Weight= 1.8 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 47-1129, Elliot CP0514-50, Filpro FP10-156, Keltec KA330-012, FS Elliott CP0514-50, Royal Filter RA81-0475, Solberg 32-10, Sullair 00237, 2250150-119, Universal 81-0475

WPA-471131

Dimensional data & weight	Characteristics	Cross references
OD= 10.98 in ID= 6.16 in HGT= 5.04 in Weight= 1.41 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Ingersoll Rand 39708466, 30011466, Baldwin PA2699, Mann Filter AC0027, C27230, Air Supply Co. 47-1131, Performance Filtration 1257, WIX 46369, Woodward sales 30011466, 30016790

WA-472462

Dimensional data & weight	Characteristics	Cross references
OD= 17 in ID= 13 in HGT= 10 in Weight= 4.24 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 47-2462, Filpro FP10-109, Solberg 32-12, Universal 81-1163, WIX K84A931, Keltec KC900-013

WA-681060

Dimensional data & weight	Characteristics	Cross references
OD= 5.75 in ID= 1.95 in HGT= 3.2 in Weight= 0.45 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Maze 63DM-007, Air Refiner ARP-81, Baldwin PA1951, Compair USA 43-666, Filpro FP10-815, Filter Mart 22-4376, Joy 543048, 1660263, Kelttec KA35-015, Quincy 23998, Rogers H1736, Solberg 78, Baldwin PA1951

WA-681071

Dimensional data & weight	Characteristics	Cross references
OD= 2.89 in ID= 1.69 in HGT= 5.03 in Weight= 0.16 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 68-1071, C-Aire 210-0294, Rol-Air 0294CH

WA-681073

Dimensional data & weight	Characteristics	Cross references
OD= 2.89 in ID= 1.69 in HGT= 1.63 in Weight= 0.08 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 68-1073, C-Aire 210-0043, Champion P00992A, Rol-Air 0043CH

WA-681800

Dimensional data & weight	Characteristics	Cross references
OD= 2.59 in ID= 1.1 in HGT= 1.9 in Weight= 0.09 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 68-1800, Puma Industries Inc. 1800, 2142013, Hitachi 50-06-004

WA-681801

Dimensional data & weight	Characteristics	Cross references
OD= 3.16 in ID= 1.47 in HGT= 2.44 in Weight= 0.14 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Air Supply Co. 68-1801, Puma Industries Inc. 1801

WA-851CP

Dimensional data & weight	Characteristics	Cross references
OD= 5.73 in ID= 3.48 in HGT= 8.63 in Weight= 1.39 lb	DOE filter element, polyester media, moulded ends, inner screen & prefilter	Air Supply Co. 68-2936, Filpro FP10-1184, GAST AJ135G, Grainger 6CJ96, Quincy 127357E003, 2010302051, Rotron blower 515475, Solberg 851P, E875587, American wholesale AP851P

WC-9

Dimensional data & weight	Characteristics	Cross references
OD= 4.41 in ID= 2.21 in HGT= 8.17 in Weight= 0.52 lb	DOE filter element, paper media, moulded ends, inner & outer screen	Bulldog BCR-7000, Filpro FP10-401, Kelttec KA80-014, Roberts Gordon 90707000



WWW.WALMI.NET